

### Q1 2022

# From crop to cloud


We build agricultural intelligence tools to help farming communities boost crop yields & optimise production

PREPARED BY

Nils Helset, CEO & Founder nils@digifarm.io







## Who is DigiFarm

We detect the world's most accurate field boundaries to power precision agriculture.

DigiFarm is Norway's leading ag-tech startup and has spent the last three years developing the technology for automatically detecting the highest accuracy field boundaries and seeded acres using deep neural network models and super resolved EO-data.


Our mission is to help organizations in the ag-value chain optimize their production.



#### PRODUCT

## **Automatic Field Delineation Model**

We have developed a state-of-the-art deep neural network model for Field Delineation (Automatic Detection of Field Boundaries and Seeded Acres) with 10x higher resolution than existing Sentinel-2 at 10m based models, through using our proprietary algorithm for upscaling Sentinel-2 from 10m to 1m resolution. Our model is currently achieving an average accuracy of IoU 0.96+ (Intersection over Union) across multiple international regions.



Available	Q2 2022	Q3 2022
🛤 Norway 🎵 🔝 😡 👳	🗖 Brazil 🗵 🗟 😡	🛤 All EU-regions 🎞 😔 🖽
<b>二</b> Austria 🎵 🔛 😡	时 Canada 🛛 🖾 😔	🛤 South Africa 🎞 😔 🖽
≡ Germany 🎵 🔛 😡	🖾 Argentina 🛛 🖾 😔	📁 Kenya 🏾 😔 🖼
💶 Belgium 💢 🔛 ⊗	≡ Thailand 🛛 🖾 😡	📁 United States 🛛 🖾 😔
📭 Italy 🚊 🔉 🐼	📁 Spain 🏼 🖾 😡	💶 Myanmar 🛛 🖽 😔
📁 Ukraine 🎞 🗟 ⊗	🛤 Netherlands 🗵 🖾 😡	🚅 India 🏾 🗖 🗟 🗞 🤟
🛏 Czech 💢 🔝 ⊗	💶 France 🛛 🖾 😔	时 Canada 🛛 🖾 😔
📁 Denmark 🛛 🖾 😔		

12-15%	higher	accuracy
--------	--------	----------

Than existing Cadastral map

data (LPIS in EU-regions and

CLU's in the US) and AI-

solutions at 10m resolution

### © 2022 DigiFarm AS - All Rights Reserved



#### 6+ years

We can provide Field Delineation Model historically (back to 2015) and in-season including seeded acres

#### 0.96 IoU score

Model managed to reach an IoU (Intersection of Union) average accuracy score of 0.94-0.98 for our Field Delineation

PRODUCT

## PRODUCT **Crop Classification Model**

Crop Classification Model built on the baseline of crop specific yield-data. The alpha version we released in 2019 achieved a 82-83% accuracy based on singlepixel algorithm (Sentinel-1), while our latest model released in fall 2020 reached an accuracy of 90% based on object-based Sentinel-2 algorithm, due to the increased accuracy of the field delineation model (and seeded acres).

We can detect crop types historically back to 2015 as well as in the growth season, approx. 31-37 on Zadoks scale depending on the region and crop-type. In a Norwegian context we start run the model in the middle of July and achieve our best results in the middle of August, approximately 1.5 months prior to harvesting. Additional Crop Classification Model projects include:



- Crop Classification Model in Western Australia for 2020 season based on Wheat, Barley, Oats and Canola.
- Large-scale Crop Classification Model in India (grapes, onion and sugar cane).
- Small-scale Crop Classification Model in Thailand on sugar cane and rice paddies.
- Large scale Crop Classification Model on "Corn" in Myanmar.

#### **Available now** Q2 - Q3 2022 📁 Norway 🛤 Thailand 🌌 Australia 🖾 India

- 💴 Myanmar **France** 
  - USA (IA/IL)

### © 2022 DigiFarm AS - All Rights Reserved



#### Up to 90% accuracy

Our latest model released in fall 2020 reached 90% due to the increased accuracy of field delineation model.

### **3k+ Crop-field training data**

The Model is built on validated and reliable ground truth data from over 3,000 fiel level crop seeded data over a 5-year period.

## PRODUCT Productivity Zones

Field Delineation is a prerequisite for a reliable and accurate zoning tool. OUr zoning layer will have ability to classify different zones within a field based on low, medium and high productivity zones which enables various precision agservices (VRT, fungicide/fertilizer) and strengthens in-field analytics. The zoning product is developed through our proprietary algorithm based on 6year EVI data along with extensive yield and ground truth data in both Norway and Canada. We offer both multi-year zoning (max. 7 years depending on S2 data) where you can choose the number of zones you'd like to query in the API. Single-year zoning is also available.



Available	Q2 2022	Q3 2022
📁 Norway	🙋 Brazil	🛤 All EU-regions
📁 Austria	🗾 Canada	鱰 South Africa
≓ Germany	🖾 Argentina	📁 Kenya
💶 Belgium	🚍 Thailand	📁 United States
💶 Italy	📁 Spain	💶 Myanmar
📁 Ukraine	🞜 Netherlands	🚅 India
<b>&gt;</b> Czech	📭 France	🗾 Canada

#### 6-year+ NDVI/EVI data

The zoning product is developed through our proprietary algorithm based on 6-year NDVI/EVI data.

#### **Choose number of Zones**

In the API you're able to choose the number of Zones you'd like from min. 2 (smaller fields) and max. 7 (larger fields).

📁 Denmark



#### Usage

Easily use to create VRT maps for fertilizing or fungicide application with inseason Zoning maps

#### Sustainability Index (coming soon)

Releasing sustainability index on 30+ year of data including S2 and Landsat with NDVI along with Zoning data.

### PRODUCT

## **Deep Resolution Imagery (1m) Overview**

We spent a lot of time developing a deep neural network model that would be able to increase the spatial resolution of Sentinel-2 from 10 meters to 1 meter. We offer Deep Resolutionenhanced multispectral radiometrically and atmospherically calibrated Sentinel-2 images at 1m resolution.

The data is generated on demand and can be provided both retrospectively, starting from January 2018, as well as during current season. Currently, all images with cloud cover under 40% are processed, resulting in 10-40 scenes per year depending on location.

The model is currently achieving sub-meter georeferencing accuracy and sophisticated cloud occlusion and shadow removal methodology to provide you with the optimal source of cloud-free imagery data for your analytics.

#### **10x deep resolution**

Downscaled from 10 meter resolution to 1 meter per pixel resolution.

#### Worldwide

Validated across 17+ countries around the world achieving 1-5m georeference accuracy.

#### 300+ mill. hectares

Imagery processed at 1 meter resolution multi-dates across 17 different countries.





**DigiFarm S2 1m resolution** 

### © 2022 DigiFarm AS - All Rights Reserved



Sentinel-2, 10m resolution

PlanetScope, 3-5m


Ŕ


# **Deep Resolution Imagery** | **Technical Data**

- Synthetically super-resolved and augmented satellite imaging at effective 1 m/px spatial resolution derived from Sentinel-2 L2A imaging data
- Regular global coverage from 56° S to 84° N, including 5 years of historical archive. Images of any size are readily available
- Orthorectified and georeferenced nadir imaging data with geopositioning accuracy of submeter to 5 meters
- 4-band (RGB+NIR) radiometrically and atmospherically corrected surface reflectance. Up to 12 band multi-spectral products corresponding to Sentinel-2 specifications are possible

The imaging data enables the reconstruction of spatial features and textures not visible on the original Sentinel-2 data, however some residual morphological artifacts and inaccuracies are potentially expected.

Images on left: Original Sentinel-2 image (left) and DigiFarm super-resolved 1 *m/px image (right)* 







#### **API SANDBOX**

# Data Delivery API Field Boundaries

We serve our field boundaries data via API with all documentation so you can integrate it directly within your solution. All our products are waiting to be tested.

https://api-docs.digifarm.io/#9.47/60.746/11.1806

### 4 query types

### ଡ

### **By Field ID**

We serve low res (simplified) boundaries inside a bbox or as vector tiles, so they can be displayed on a map in your app. After click the app queries our API with ID of the clicked field. Our API returns the field boundary in high res.

## ۲

#### **By Bounding Box**

User draws a polygon on a map and our API returns all field boundaries in that bbox.

### 恣

### By Point on the Map

Click on a map in your app, it makes a query to our API with latitude / longitude of the point and our API returns field boundary geojson data around that point.

## C<sup>3</sup>

### By Coverage

Returns worldwide polygons for the areas where selected product is available







Step 1. Area select Returns the high reso	ction lution polygon for the given	field id
by boundir	ng box	by vector tiles
Parameters		API Dashboard
token a0731a8c-5259-	ಂ 4c68-af3a-7ad4f6d53f	lient Token provided by Digifarm aa
Type of billing:	<b>by Field</b> from £ 0.3 / field.	O by Haa from € 0.5 / haa
Data version:	Oct 13, 2021	Mar 01, 2021
	Field Boundary Model once version or continue using p free,	
Coordinate X	Coordinate Y	Coordinate Z
47347347	37347227	17347347
Type of output:	GeoJSON	

Respon	se_by Bounding Box	×
230 Area, daa	<b>7</b> Zones	Norway Region
Curl Request		
URL	demo-map-lambdatile-de	mo-map-dev-datasets/delineated
URL 200	demo-map-lambdatile-de -fields	

#### **API SANDBOX**

# **Data Delivery API Deep Resolution**

We serve the deep-resolution imagery via API endpoints with all documentation so you can easily integrate it directly in your digital solution.

https://api-docs.digifarm.io/#9.47/60.746/11.1806

### **3 query types**

## ä

### By Tile URL

API will serve jpg tiles for the given XYZ coordinates. Based on the query option, RGB, NDVI and EVI images will be served. Start date and End date will enable the users to choose the date of DR image. There will be an optional region parameter to filter based on the geographic region.


### 3

#### By Coverage

API will return the coverage polygon and details of the Deeply resolved MGRS tiles within the given lat, long bounds. Query params to filter the results based on region and MGRS tiles will be supported.

### **By Bounding Box**

API will return the TIFF images for a given lat, long bounds. This query too supports image type, region, start and end dates.











### PRICING

## **Our packages and pricing**

Every precision ag-service starts with it's basic field boundaries and seeded acres which is why we work to so hard to achieve the highest possible accuracy, our model's average accuracy is at an IoU of 0.96+.

### We offer four different packages with two pricing options.



**FIELDS** 

Basic

Everything you need to get started: Field Boundaries and Seeded Acres

Automatic Field Detection Seeded Acres Sentinel Super Resolved Basemap (1m) **FIELDS AND ZONES** 

### **Basic + Zones**

Looking to determine various in-field productivity zones

Automatic Field Detection Seeded Acres Sentinel Super Resolved Basemap (1m) Zoning Product



**FIELDS AND CROPS** 

### **Basic + Crops**

Maybe Zoning is not important but Crop Detection is

Automatic Field Detection Seeded Acres Sentinel Super Resolved Basemap (1m) Crop Detection

© 2022 DigiFarm AS - All Rights Reserved





FIELDS, ZONES, CROPS

## Pro

### The Full Monty: Field Boundaries, Crop Detection, Zoning & Acres

Automatic Field Detection Seeded Acres Sentinel Super Resolved Basemap (1m) Zoning Product Crop Detection — 10



#### PRICING

## **Pricing table**

Pricing based on 1m resolution for all available regions. The bands illustrate both hectares and number of fields. Pricing below includes Sentinel-2 super resolved as a basemap.

OPTION 1 Per hectare / year	OPTION 2 Per field boundary / year						
Basic	Basic + Zones	Basic + Crops					
0 - 100,000							
€ 0.09 € 0.18	€ 0.11 € 0.22	€ 0.14 € 0.24					
100,000 - 250,000							
€ 0.07 € 0.15	€ 0.09 € 0.19	€ 0.12 € 0.21					
250,000 - 500,000							
€ 0.06 € 0.12	€ 0.08 € 0.16	€ 0.11 € 0.18					
500,000 - 1 mln.							
€ 0.05 € 0.09	€ 0.07 € 0.12	€ 0.10 € 0.14					
1 mln. +							
€ 0.03 € 0.07	€ 0.04 € 0.10	€ 0.07 € 0.11					

© 2022 DigiFarm AS - All Rights Reserved



### Pro

€ 0.13	€ 0.23
€ 0.11	€ 0.20
€ 0.10	€ 0.17
€ 0.09	€ 0.13
€ 0.06	€ 0.11

#### PRICING

## **Pricing table for Add-ons**

### **Deep resolution imagery**

We offer Deep Resolution-enhanced multispectral radiometrically and atmospherically calibrated Sentinel-2 images at 1m resolution. The data is generated on demand and can be provided both retrospectively, starting from January 2018, as well as during current season. Currently, all images with cloud cover under 40% are processed, resulting in 10-40 scenes per year depending on location.

### Low res boundaries

We can also se selecting the h Once the zoom boundaries on t month.

OPTION 1	OPTION 2			
Per year (12 months)	Per sing	le image		
Annual area per km2	Price per km2		Requests	P
1	€ 20	€2	Per 100k Requests / Month	
10	€ 10	€1	Above 100k Requests / Month	
00	€ 4	€ 0.4		
,000	€2	€ 0.2		
0,000	€1	€ 0.1		
100,000+	€ 0.5	€ 0.05		



We can also serve low res boundaries (~10m) for the single purpose of selecting the high resolution boundaries that each user needs. Once the zoom level moves above 8 we will serve the low resolution boundaries on the map for free as vector tiles up to 100k requests per

## **Our history**

gra Inn ord fea de mo cro Cro No	projection Norway in projection Norway in projection values in the projection and projection among projectio		nisation (NLR) as D partner in the	grant Innov to acc projec to mu		NC Bio Iead Clu anc Inn Clu	comes a part of E Heidner cluster, Norway's ding Bioeconomy ster, Startuplab Kjeller ovasjon.	the Clo and Ince NCEP Orac Clour	Becomes a part of lead the Oracle Startup Acc Cloud Accelerator (F. and the NVIDIA ch Inception Program, ot 60 NICEPTION PROGRAM Oracle Startup Cloud Accelerator		Accepted into E leading EIT Food Accelerator Netw (FAN) batch #4, chosen among 1 other startups fr 600 applications <b>ORACLE</b>	
	Our feasibility study led to our first R&D project, grant funde by the Research Council of Norway while partnering wit	Our feasibility study led to our first R&D project, grant funded by the Research Council of Norway while partnering with the University of Life		gle and sloud jing	Q4 2019 CC CSA CC CSA C		Q3 2020 Opernicus mosters Won the Copernicus Masters "Galileo" Prize of 2020 for Sweden.		Q4 2020 NORE Developer Artificial Concentration Secures spot in Copernicus Accelerator for 20 received funding through Copernicus Incubation 2020 a joined Nora.ai.	21, JS	Q3 202 Cress Romse Horweden Boose Create C	

## © 2022 DigiFarm AS - All Rights Reserved





novation Norway, e incubation member in Innovasjon. Won Airbus Challenge 2021 (INNOspace), CDL startup member

Ai4 Copernicus Agriculture to develop automatic weed detection based on our field boundaries and deeply resolved S2. Secured 6 commercial contracts with B2B clients.

— 11



### **TEAM**

## **Company Organization**

### **Core Team**



Nils Helset, Co-founder & CEO



Konstantin Varik, Co-founder & CTO



Rohit Shetty, Back-end Engineer



Yosef Akhtman Head of AI & DR



Alexei Melnitchouck, **Digital Farming &** Precision Ag Evangelist



**Girish Pallagatti**, Fullstack JS Engineer



Anton Shatsila, Head of Product



Ishan Trivedi, **GIS Engineer** 



Anil Nair Back-end Engineer



Janika Merquita **GIS-Engineer** 





### **External Advisory Board**



Sverre Bisgaard, Former Founder & CEO of Kongsberg Norspace



Jørgen Ole Haslestad, Former CEO of Yara



**Dennis Diaconescu** B2B Start-up & Product Leader



Linn Dybdahl, Project Leader, NCE Heidner **Bioeconomy Cluster** 



Åsmund Langeland, Head of Precision Ag-tech, Norwegian Ag Advisory



Caspar Olenhusen, AgriFoodTech — 11 Specialist



**PARTNERS & CUSTOMERS** 





**aws** dactivate

ORACLE for Startups



Google Cloud











**CONTACT DETAILS** 

## **Thank you for your attention!**



**Nils Helset** 


CO-FOUNDER & CEO

E-Mail: nils@digifarm.io

Phone: +47 948 42 517

Website: www.digifarm.io

Get in touch with us today to get started.





### Sign up to start querying field boundaries today.